

# CUT AND COUPLE

## (866) 641-8851

ANY HOSE | ANY LENGTH | ANY TIME

## RELIABLE

INDUSTRIAL PRODUCTS CO.

A team driven to provide quality hose solutions through ingenuity, passion and commitment.

# HOSE NOT IN YOUR WAREHOUSE? WE CAN GET IT FOR YOU!


**INDUSTRIAL**



**CORRUGATED  
METAL**



**HYDRAULIC**




**COMPOSITE**



**TEFLON-PTFE**



**PLASTIC  
HOSE & TUBING**



*Cut and Couple provides premier services, customer support and high-quality products to you, and does so on your terms. Get what you need in cut lengths, bulk lengths or as fully assembled hoses. Our production facility contains a full line of crimper and swage machines to properly assemble your hose with a wide range of couplings. With our company you get drop shipments at no additional charge, testing and certification of hose assemblies, and a combined knowledge of over a 100 years in the business.*

### STOCK FITTINGS FOR ALL APPLICATIONS

GROUND JOINTS  
COMBINATION NIPPLES  
2 & 4 LUG UNIVERSAL AIR  
BOLT CLAMPS & U-BOLTS  
STRAIGHT, 45° AND 90°  
HYDRAULIC PARTS  
SCOVILL, HOLEDALL &  
RE-ATTACHABLE  
FLANGES



SANDBLAST  
INTERNAL & EXTERNAL  
EXPANSION  
CONVOLUTED &  
SMOOTH BORE PTFE  
COUPLINGS  
STAINLESS STEEL  
SANITARY STEMS  
CAM & GROOVE  
CRIMP STEAM

## NEED IT? WE HAVE IT!

P.O. Box 13180  
Dayton, OH 45413

(866) 641-8851 phone  
(937) 454-2086 fax

[sales@cutandcouple.com](mailto:sales@cutandcouple.com)  
[www.CUTANDCOUPLE.com](http://www.CUTANDCOUPLE.com)

CUSTOMER FOCUSED - FAMILY ORIENTED

A team driven to provide quality hose solutions through ingenuity, passion and commitment.

## INDUSTRIAL RUBBER HOSE

### PUSH-LOCK / PUSH-ON



**TUBE:** Nitrile - RMA Class A  
**COVER:** Nitrile Blend - RMA Class A  
**TEMPERATURE:** -20°F to 180°F (-29°C to 82°C)  
**STOCK SIZES:** 1/4" - 3/4" ID  
**WORKING PRESSURE:** 250 PSI (300 PSI ALSO AVAILABLE)




### MULTI-PURPOSE

We have many options for multi-purpose hose. Depending upon the application, working conditions and weather requirements, we carry a product that fits the bill.

**STOCK SIZES:** 1/4" - 2" ID  
**COVER COLOR:** Red, Black, Yellow, Green, Blue, Grey



### COMPRESSED AIR TOOLS




**TUBE:** Black SBR/NBR blend (oil mist resistant)  
**COVER:** Yellow SBR (abrasion and ozone resistant)  
**REINFORCEMENT:** Spiraled high tensile textile cords  
**TEMPERATURE:** -22°F to 176°F (-30°C to 80°C)  
**STOCK SIZES:** 1" - 4" ID  
**WORKING PRESSURE:** 300 PSI

### OIL & FUEL SUCTION

Railcar and tank truck suction/delivery hose for up to 50% aromatic content petroleum products.

**TUBE:** Black conductive NBR  
**RESISTANCE:** Abrasion, Ozone, and Hydrocarbon  
**STOCK SIZES:** 2" - 6" ID  
**REINFORCEMENT:** High tensile textile cords, steel helix wires and static wire



### FUEL STORAGE TANK



Transfer gasoline, oil and Biofuels - up to E98 and B100 with up to 60% aromatic content at ambient temperature.

**TUBE:** Conductive synthetic rubber  
**COVER:** Blended neoprene (abrasion, ozone, and hydrocarbon resistance)  
**REINFORCEMENT:** High tensile textile cords with steel wire helix  
**TEMPERATURE:** -22°F to 176°F (-30°C to 80°C)

A team driven to provide quality hose solutions through ingenuity, passion and commitment.



## INDUSTRIAL RUBBER HOSE


### UHMWPE CHEMICAL

Not only can this product handle most industrial chemicals in use today, it also meets FDA & USDA standards.

**TUBE:** Non-leaching ultra-high molecular weight polyethylene

**COVER:** Abrasion resistant EPDM (Green is smooth - Blue is corrugated for extra bend radius)

**STOCK SIZES:** 1" - 6" ID





## STAINLESS STEEL BRAIDED TEFLON

### SMOOTH-BORE, CONVOLUTED & HIGH PRESSURE

With an unparalleled resistance to chemicals, our PTFE and FEP hoses create long-term solutions for the everyday application to the more demanding fluid management systems.

**FEATURES:** Chemically inert inner core with a long shelf-life  
Excellent high- and low-end temperature resistance  
Easy to CIP/SIP  
Working pressure up to 5000 psi



## CORRUGATED METAL

### SINGLE & DOUBLE BRAIDED



This product is an excellent choice for Jump Hoses, Flex Lines, and Cryogenic applications. A second braid adds increased resistance to hose elongation due to internal pressure.

**TUBE:** offered in SS grade 316L and 321

**BRAID:** SS grade 304

**STOCK SIZES:** ¼" - 6" ID

**VACUUM:** Hose will maintain shape under full vacuum



## COMPOSITE


### CHEMICAL, PETROLEUM & PTFE-LINED

Ultra-flexible, helical-reinforced transfer & discharge hose designed to handle tough conditions and a wide range of applications. An inner and outer wire helix provide the strength and versatility to get the tough jobs done.

**FITTINGS:** MNPT, flanged ends, cam & groove

**HELIX:** Polypropylene, galvanized, and stainless versions

**STOCK SIZES:** 1" - 4" ID



A team driven to provide quality hose solutions through ingenuity, passion and commitment.

**HYDRAULIC HOSE****STANDARD & HIGH PRESSURE**

With a higher bend radius and higher pressure rating (up to 6500 PSI) compared to its competition, these robust hoses are great for the transfer of hydraulic fluids, aqueous emulsions, air, and water at high speeds. We stock many options from single braided thru 6-braids.

**TUBE:** Oil resistant seamless synthetic rubber

**COVER:** Weather, oil, fuel, ozone, and abrasion resistant synthetic rubber

**STOCK SIZES:** 3/16" - 3" ID

We carry a full-line of Hydraulic Fittings and Slim Hole Rotary hose too!

**THERMOPLASTIC**



Our R7 and R8 hose are specially designed to flex at extremely low temperatures and have an excellent abrasion and drag resistance due to a cover additive. Forklifts and scissor lifts will love this kink resistant hose!

**FEATURES:** Non-degrading polyurethane cover  
Lightweight build  
Bends even at -65°F  
Meets or exceeds ANSI and SAE requirements  
Made in the U.S.A.

**PLASTIC HOSE & TUBING****STATIC-DISSIPATIVE PVC & URETHANE**

**VOLT** - The abrasion resistant, thick double-ply polyurethane tube is made from FDA-compliant materials and offers superior protection against static buildup. **STOCK SIZES:** 1-1/2" - 5" ID

**WE** - Standard duty food grade PVC material handling hose with an embedded multi-strand grounding wire. Lightweight, flexible, and clear for a visual confirmation of flow. **STOCK SIZES:** 1-1/4" - 6" ID



**WE DELIVER ON A PROMISE OF  
QUALITY AND CONSISTENCY  
FOR EVERY JOB YOU SEND OUR WAY**

*Cut and Couple's hose technicians handle large runs of hose daily, and our Dayton, Ohio warehouse is equipped with cutting-edge technology suited to completely assemble your "to-spec" hose needs. We can crimp large ID hose, hydrostatic pressure test, tag, sleeve and color-code assemblies. We even manage stock and OEM programs for you!*

**HYDRAULIC & PLASTIC**